

aspire for more...

Aspiria

CERAMIC

sight of

peace

OUR DESIGNS ARE SPECIALIZED TO INVOKE AN ATMOSPHERE OF SERENITY WHEREVER YOU CHOOSE OUR TILES TO BE. YOUR VISION OF A CALM AND TRANQUIL ABODE FULL OF VISUAL WONDER IS NOW POSSIBLE. WITNESS THE DIFFERENCE ONCE YOU LET OUR CREATIONS STEP INSIDE YOUR SPACE.

Size
600x300mm





1404-L



1404-HL




1404-D



F-1404







1405-L



1405-HL



1405-D



F-1405





1406-L



1406-HL



1406-D




F-1406





1407-L



1407-HL



1407-D



F-1407





1408-L



1408-HL



F-1408





1409-L



1409-HL




1409-D



F-1409





1410-L



1410-HL




1410-D



F-1410






1411-L



1411-HL



1411-D



F-1411






1412-L



1412-HL




1412-D




F-1412





1413-L



1413-HL




1413-D



F-1413






1414-L



1414-HL




1414-D




F-1414





1415-L



1415-HL



1415-D



F-1415






1416-L



1416-HL



1416-D



F-1416






1417-L



1417-HL



F-1417






1418-L



1418-HL




1418-D




F-1418






1419-L



1419-HL




1419-D



F-1419





1420-L



1420-HL




1420-D



F-1420





1421-L



1421-HL




1421-D



F-1421





1422-L



1422-HL-1




1422-HL-2



1422-D






1423-L




1423-HL




1423-D



F-1423






1424-L



1424-HL



1424-D



F-1424






1425-L



1425-HL



1425-D



F-1425






1426-L



1426-HL



1426-D




F-1426





1427-L




1427-HL



F-1427





1428-L




1428-HL




1428-D



F-1428







1429-L



1429-HL



1429-D



F-1429





1430-L



1430-HL



1430-D



F-1430





1431-L



1431-HL



1431-D




F-1431





1432-L




1432-HL



1432-D



F-1432







1433-L



1433-HL




1433-D



F-1433





1434-L



1434-HL




1434-D



F-1434





1435-L



1435-HL




1435-D




F-1435






1436-L



1436-HL




1436-D



F-1436





1437-L



1437-HL



1437-D



F-1437





1438-L



1438-HL




1438-D



F-1438





1439-L



1439-HL




1439-D



F-1439






1440-L



1440-HL




1440-D



F-1440





1441-L



1441-HL



1441-D




F-1441






1442-L



1442-HL-1



1442-HL-2



1442-D





1443-L



1443-HL



1443-D



F-1443





1444-D




1444-HL



F-1444






1445-L



1445-HL



1445-D



F-1445






1446-L



1446-HL



1446-D




F-1446






1447-L



1447-HL




1447-D



F-1447





1448-L



1448-HL



1448-D



F-1448





1449-L



1449-HL



1449-D



F-1449





1450-L



1450-HL-1



1450-HL-2



1450-D





1451-L



1451-HL




1451-D



F-1451






1452-L



1452-HL



1452-D



F-1452






1453-L



1453-HL-1



1453-HL-2




1453-D





1454-L



1454-HL



1454-D



F-1454





1455-L



1455-HL-1




1455-HL-2



1455-D






1456-L



1456-HL




1456-D



F-1456






1457-L



1457-HL




1457-D



F-1457





1458-L



1458-HL



1458-D




F-1458






1459-L



1459-HL




1459-D



F-1459






1460-L



1460-HL



1460-D



F-1460





1461-L



1461-HL




1461-D



F-1461





1462-L



1462-HL-1




1462-HL-2



1462-D





1463-L



1463-HL



1463-D



F-1463






1464-L



1464-HL



1464-D



F-1464





1465-D



1465-HL



F-1465





1466-L



1466-HL




1466-D



F-1466





1467-L



1467-HL




1467-D



F-1467






1468-D



1468-HL



F-1468





1469-L



1469-HL



1469-D



F-1469





1470-L



1470-HL




1470-D



F-1470





1471-L



1471-HL




1471-D



F-1471





1472-L



1472-HL




1472-D



F-1472





1473-L



1473-HL



1473-D



F-1473





1474-L



1474-HL




1474-D



F-1474






1475-L



1475-HL




1475-D



F-1475







1476-L




1476-HL




1476-D



F-1476







1477-L



1477-HL



1477-D



F-1477





1478-L



1478-HL



1478-D



F-1478







1479-L



1479-HL



1479-D



F-1479





1480-L



1480-HL




1480-D



F-1480







1481-L



1481-HL




1481-D




F-1481







1482-L



1482-HL




1482-D



F-1482






1483-L



1483-HL



1483-D



F-1483





1484-L



1484-HL



1484-D




F-1484





1485-L



1485-HL



1485-D



F-1485





1486-L



1486-HL



1486-D



F-1486



TECHNICAL SPECIFICATION

CHARACTERISTICS	EURO STANDARDS EN- 159/IS 13753	COMPANY VALUE
Dimension & Surface Quality		
 Deviation in length & width	± 0.5%	± 0.4%
 Deviation in Thickness	± 0.6 mm	± 0.5 mm
Straightness of Sides	± 0.3%	± 0.2%
Rectangularity	± 0.5%	± 0.3%
 Surface flatness	± 0.5%	± 0.5%
 Surface quality	Min. 95%	Min. 96%
Physical properties		
Water absorption	> 10%	13-17%
Scratch (moh's) hardness	Min 3	Min.3
Moisture expansion	0.04%	0.04%
 Crazing	1 Cycle	No Crazing at 4 Cycle
Thermal Properties		
 Thermal expansion	Max - 9E -06	Conform
Thermal Shock	Resistant to 10 Cycle	Conform
Chemical Properties		
Household chemical	Min Class B	Resistant to all Acids and Alkalies & Household chemicals, expect Hydro Flouric Acid
Stilting Resistant	Min Class 2	

PACKAGING DETAIL

No.	Sizes	600 x 300 mm	300 x 300 mm
01	Thickness (mm) Approx	9.25 mm	8.00 mm
02	Weight Per Box. (Kgs.) Aprprox	14.00 KG.	11.00 KG.
03	No. of Tiles Per Box	5 Pic	9 Pic
04	Sq. Mtr. Per Box	0.9 Sq. Mtr.	0.81Sq. Mtr.