

aspire for more...

Aspiria

CERAMIC

The logo for Aspiria Ceramic is set against a dark grey background. It features the word "Aspiria" in a large, white, sans-serif font. Above the "i" and "a" in "Aspiria" are two small white dots. To the left of the "i" and "a" is a thick orange horizontal line. Below the "i" and "a" is a thick orange horizontal line. The word "CERAMIC" is written in a smaller, orange, sans-serif font, positioned below the "i" and "a" of "Aspiria". The tagline "aspire for more..." is written in a smaller, orange, sans-serif font, positioned above the "i" and "a" of "Aspiria".




600 X 300 MM
DIGITAL WALL TILES

GLOSSY ELEVATION SERIES




EL-6001





EL-6002





EL-6003





EL-6004





EL-6005





EL-6006





EL-6008-(R1)



EL-6008-(R2)




EL-6008-(R3)





EL-6009






EL-6010





EL-6011





EL-6012





EL-6013





EL-6014





EL-6015





EL-6016






EL-6017





EL-6018






EL-6019





EL-6020





EL-6021





EL-6022





EL-6023





EL-6024





EL-6025





EL-6026





EL-6027





EL-6028





EL-6029





EL-6030





EL-6031





EL-6032





EL-6033





EL-6034





EL-6035





EL-6036






600 X 300 MM
DIGITAL WALL TILES

MATT ELEVATION **SERIES**



EL-9001





EL-9002






EL-9003





EL-9004





EL-9005





EL-9006





EL-9007





EL-9008





EL-9009





EL-9010





EL-9011





EL-9012





EL-9013





EL-9014






EL-9015





EL-9016






EL-9017





EL-9018





EL-9019





EL-9020





EL-9021





EL-9022





EL-9023





EL-9024






EL-9025





EL-9026





EL-9027





EL-9028





EL-9029





EL-9030





EL-9031





EL-9032





EL-9033





EL-9034





EL-9035






EL-9036





EL-9037





EL-9038





EL-9039





EL-9040






EL-9041





EL-9042





EL-9043-(R1)





EL-9044





EL-9045





EL-9046





EL-9047





EL-9048





EL-9049





EL-9050





EL-9051





EL-9052





EL-9053





EL-9054






EL-9055





EL-9056





EL-9057





EL-9058





EL-9059





EL-9060





EL-9061





EL-9063





EL-9064





EL-9065





EL-9066





EL-9067





EL-9068





EL-9069





EL-9070





EL-9072





EL-9073





EL-9074





EL-9075






EL-9076






EL-9077





EL-9078





EL-9079





EL-9080





EL-9081





EL-9082





EL-9083





EL-9084





EL-9085






EL-9086






EL-9087





EL-9088





EL-9089





EL-9090





EL-9091





EL-9092






EL-9093





EL-9094





EL-9095





EL-9096



TECHNICAL SPECIFICATION

CHARACTERISTICS	EURO STANDARDS EN- 159/IS 13753	COMPANY VALUE
Dimension & Surface Quality		
 Deviation in length & width	± 0.5%	± 0.4%
 Deviation in Thickness	± 0.6 mm	± 0.5 mm
Straightness of Sides	± 0.3%	± 0.2%
Rectangularity	± 0.5%	± 0.3%
 Surface flatness	± 0.5%	± 0.5%
 Surface quality	Min. 95%	Min. 96%
Physical properties		
Water absorption	> 10%	13-17%
Scratch (moh's) hardness	Min 3	Min.3
Moisture expansion	0.04%	0.04%
 Crazing	1 Cycle	No Crazing at 4 Cycle
Thermal Properties		
 Thermal expansion	Max - 9E -06	Conform
Thermal Shock	Resistant to 10 Cycle	Conform
Chemical Properties		
Household chemical	Min Class B	Resistant to all Acids and Alkalies & Household chemicals, expect Hydro Flouric Acid
Stilting Resistant	Min Class 2	

PACKAGING DETAIL

No.	Sizes	600 x 300 mm	300 x 300 mm
01	Thickness (mm) Approx	9.25 mm	8.00 mm
02	Weight Per Box. (Kgs.) Aprprox	14.00 KG.	11.00 KG.
03	No. of Tiles Per Box	5 Pic	9 Pic
04	Sq. Mtr. Per Box	0.9 Sq. Mtr.	0.81Sq. Mtr.